

# **GRASS & FODDER CROPS**

# Grass and Fodder Crops INTRODUCTION

Good grass leys whether for cutting or grazing are the foundation of every livestock enterprise and for over 50 years the HF brand has been at the forefront of innovation in grass seed mixtures and has earned its rightful place as one of the UK's leading grass seed brands. The HF logo on the bag is synonymous with the highest seed quality, the very best varieties and unrivalled performance in terms of productive and palatable grass swards.

Now part of DLF, the world's largest grass seed company, HF Seeds has access to greater technical and commercial resources than ever before. With over 130 years' experience in plant breeding and seed production, DLF has Europe's largest research and development programme to breed new and improved grass and clover varieties which has led to the company having significantly more varieties on UK Recommended Lists than any of its competitors.



With the backing of DLF, HF Seeds continues to go from strength to strength.

#### **Technical Excellence**

HF mixtures are formulated with only the very best varieties specially selected from data obtained in both UK Recommended List trials and from the company's own trial plots

#### **Seed Quality**

HF standards of seed purity and germination are literally second to none ensuring the rapid establishment of dense, weed free swards

#### Feed Value

The emphasis placed on both forage quality and digestibility ensures that the maximum potential from forage is achieved

#### Mixture Range

With a comprehensive mixture range, HF has a carefully designed mixture for all locations and different sward uses

## Innovation

Research and development ensures that HF mixtures lead the field with innovative products like  $GrassMax^{TM}$ ,  $ProNitro^{\otimes}$ ,  $Advanced^{TM}$  Grasses and high DNDF varieties



Hi-tech trial plot harvesters instantly measure yield and forage quality allowing HF to select the very best varieties

The HF total quality philosophy goes much further than just

varieties and mixture trials however, and extends as far as the farm gate and the end user. All HF products are backed by a country-wide network of in-house specialists and experienced distributors who are capable of offering technical help and advice on all aspects of mixture selection and establishment.

## **Contents**

3	The Value of Reseeding	13	Westerwolds Ryegrass
4	Mixture Design and Quality	14 – 20	The Mixtures
5	The Importance of Digestible Fibre	21 – 23	Overseeding
6	Advanced <sup>™</sup> Grasses	24 – 25	High Clover and Organic Mixtures
7	Innovation in Action - ProNitro®	26 – 27	Greening
8 – 9	The Clover Story	28 – 30	Root and Fodder Crops
10 – 11	HF Varieties	31	HF Countryside
12	Mixture Selector		

# Grass and Fodder Crops The Value of Reseeding

Good grass is the foundation of every livestock enterprise and the quality of swards whether for cutting or grazing, can have a huge impact on margins and profitability. Unfortunately it is difficult to accurately measure production from grass and falls in production often go unnoticed resulting in increased purchases of bought-in feed which could have been avoided.

Every grassland farmer is aware that grass yields decline as the sward ages. The rate of decline is influenced by many different factors and will vary from farm to farm but through time the sown species gradually die out and are replaced by unproductive and poor quality natural and weed grasses. On average after 7 or 8 years, only around 60% of the sown species are still present with the remaining 40% as bare ground or unproductive weed species.

This decline in sown species has a huge impact on yield, forage quality, the response to fertiliser and the cost of production of both grazed and cut grass, as can be seen in the table below

	Good Ley	Poor Ley
Yield (t DM/ha)	12 t	8 t
Forage Quality (MJ ME/kg DM)	12.0 ME	10.5 ME
Response to Fertiliser N (kg:kg)	25 : I	15:1
Cost of Production (p/kg DM) – grazed	3 – 5 p	8 – 12 p
Cost of Production (p/kg DM) - silage	8 – 10 p	16 – 20 p

In simple terms, every single acre performing at 75% capacity needs the equivalent of a tonne of barley to fill the gap between 75% and 100% and with many grass fields performing at significantly less than 75% of their potential, unnecessary purchased feed bills can rapidly escalate.

The table below shows the potential losses as swards age and the substantial cost of replacing lost production with bought-in feed.

Age of Ley (Years)	Yield (t DM/ha)	ME (MJ/kg DM)	Lost Energy ('000's MJ/ha)	Milk Equivalent (litres/ha)	Concentrate Replacement Cost (£)
I I	13.0	12.0			
3	11.5	11.8	18	3,400	360
6	8.5	11.0	55	10,200	1,100
9	7.0	10.5	80	15,000	1,590

Provided it is started early enough, regular over-seeding with the HF range of GrassMax/mixtures (see pages 21-23) can help to reverse the decline in plant numbers maintaining both yield and forage quality. However in older swards where sown species have declined to a low level and where there may be a thick turf mat and fertility issues, overseeding is less likely to be successful and in many cases a full reseed is the only option.





Restoring a poor sward to full production through overseeding or a full reseed can dramatically improve production and overall sward performance and reduce the need for bought in feed

# Grass and Fodder Crops MIXTURE DESIGN AND QUALITY

The achievement of a good sward which meets the intended purpose, depends entirely on the quality of the grass and clover varieties within the mixture in terms of both their suitability for the job and their germination and purity.

#### Mixture Design

Good grass mixture design begins with the assessment of individual variety characteristics and then uses this information to combine mixture components in different proportions to produce the best possible mixture for the intended duration and purpose of the final sward.

Before a variety is included in an HF mixture the results of both internal and external trial work are carefully assessed for the following characteristics.

- Total annual and seasonal yield
- Maturity and heading date
- Forage quality and digestibility
- Sugar and protein yields
- Palatability
- Disease resistance
- Sward density
- Persistency and winter hardiness

Once individual variety performance data has been gathered it is then a question of dovetailing varieties together in the correct proportions to produce a mixture which will meet the requirements of the final sward.

The required sward characteristics must take into account

- Sward purpose and management regime
- Type of stock
- Location and climate
- Cutting dates
- Required seasonality of growth
- Clover content

The result of this painstaking process and attention to detail is a top quality mixture that will not only do 'what it says on the tin' but which will perform at a very high level.

#### **Mixture Quality**

Seed quality is crucial in the establishment of dense, weed free swards and although all seed products are guaranteed to meet minimum certification standards within the UK, these standards are surprisingly poor and there can be huge variation in terms of germination and purity not only between varieties but also within stocks of the same variety.

Current UK seed certification standards mean that in some species up to a quarter of the bag can be dead seed that will never produce a plant. Given the importance of high germination to good establishment, all HF seed stocks are selected on the basis of being at least 10% higher than UK certification standards ensuring better establishment, denser swards and better value for money.

SPECIES	UK Minimum Germination	HF Minimum Germination	HF Actual 2015 Germination	Benefit of HF
Italian Ryegrass	75.0%	90.0%	92.1%	17.1%
Perennial Ryegrass	80.0%	90.0%	91.9%	11.9%
Timothy	80.0%	90.0%	92.6%	12.6%

The HF guarantee of at least 10% more live seed in every bag is equivalent to a saving of around £12 per acre at 2016 prices but the real value is in better establishment, more plants per acre and much denser swards

In addition to low germination standards, UK grass seed certification also allows the presence of relatively high levels of serious grass weeds such as docks and couch, potentially introducing literally thousands of problem weed seeds each time a field is reseeded. Recognising the consequences of these damaging levels of weed contamination, HF Seeds imposes its own freedom from weeds standards which are unequalled elsewhere.

	UK Minimum Standard	HF Standard
Docks	1,250	0
Couch	30,000	2,500
Blackgrass	25,000	2,500

The table shows the potential number of serious weed seeds which can be sown per acre each time a field is reseeded and clearly demonstrates the huge advantage of HF's rigorous purity standards.

## Grass and Fodder Crops The IMPORTANCE OF DIGESTIBLE FIBRE

Right from the very beginning of the HF brand in the 1960's, HF Seeds recognised the importance of using the very best varieties in terms of yield, forage quality and feed value and that a variety's overall performance depended on a combination of many different characteristics. This total quality philosophy has kept HF Seeds at the forefront of variety evaluation techniques and has led to the introduction of many new quality assessment methods over the years.

High yielding livestock need top quality forage particularly when the proportion of forage in the diet is decreasing, indeed analysis of trends in dairy cow diets has shown that milk from forage has declined from an average of 2800 litres in 2004 to a current average of less than 1980 litres. Recent pioneering research into animal nutrition has shown that Cell Wall Digestibility (DNDF) is the single most important quality parameter in grass. DNDF is vital to rumen health, it stimulates the rumen function, stabilises pH and improves both the digestion process and the utilisation of nutrients. Nutritionists now recommend that dairy cows require a minimum of 27 - 30% DNDF in the ration dry matter and that 70 - 80% of this should come from forage. Consequently where cows are receiving high levels of concentrate, a high DNDF concentration in the forage component of the diet becomes even more important.

Young grass always produces forage with high digestibility but yields are low and as grass matures the converse applies. High DNDF varieties bring improved animal performance by delivering the best combination of yield and quality as grasses progress through the different growth stages.

The illustration below shows how high DNDF varieties maintain higher digestibility throughout the growth stages and the impact on animal production.



Vegetative: Time for grazing

Stem elongation: Time for making silage with very high feeding value Boot: Time for making silage

Heading: Time for making hay Anthesis: Too late for forage harvest!

Digestible (DNDF)



Indigestible (Lignin)







Standard variety, milk per kg dry matter







High DNDF variety, milk per kg dry matter

→ Fr

For 2016 HF has been able to include DNDF as one of its variety selection criteria and as a result has gone beyond the quality assessments used to produce UK Recommended Lists thus ensuring only the 'best of the best' varieties are included in the 2016 mixture range.



State of the art technology has allowed HF Seeds to introduce fibre digestibility into its variety selection process



'With milk quotas now gone in Ireland I have increased the herd size by 20% and have plans for further expansion. My expansion plans are based on maximising yields of top quality forage. Particular attention to silage quality has really paid off with silage this year cut on

20th May showing a D-value of 78.8, a record for the farm. I put at least some of that down to HF's selection of top quality varieties. HF quality also transfers into their grazing mixtures with dense, persistent and high yielding swards'

Frankie Crinion, Beaupark, Navan, County Meath

Time

# Grass and Fodder Crops ADVANCED THE GRASSES

Throughout its long history HF has been renowned for innovation in grass seed technology from the introduction of Tetraploids in the early 1970's right through to HF's most recent advances in the use of DNDF in variety assessment and the revolutionary ProNitro®.

Following several years of extensive trial work in conjunction with its parent company DLF, HF Seeds is once again leading the way with the introduction of its range of Advanced™ Grasses which has been developed by crossing traditional Ryegrasses with both Meadow Fescue and Tall Fescue. Although the idea of crossing Fescues (Festuca) and Ryegrass (Lolium) is not new, the crossing of improved modern varieties has produced a species (Festulolium) which combines the best characteristics of Ryegrass and Fescue and which has unique properties not found in any other species.

Three Advanced™ Grasses are included in the 2016 mixture range

#### LOFA



## **PERSEUS**




**HYKOR** 



As an Advanced<sup>TM</sup> Hybrid Ryegrass, LOFA has the most general appeal for extensive use within UK grass mixtures. Behaving like a Hybrid Ryegrass but with very fast establishment, high yields, excellent stress tolerance and disease resistance, it is an ideal component in 3-5 year mixtures and particularly suitable as a companion grass for Red Clover.

PERSEUS is a variety of Advanced™ Italian Ryegrass with much better persistence, stress tolerance and disease resistance than conventional varieties of Italian. It is very high yielding with a high sugar content and excellent early spring growth making it an ideal component in short to medium term cutting mixtures. With its growth characteristics PERSEUS is also a suitable companion grass for Red Clover.

Tall Fescue is extremely drought tolerant and consequently is used in hot dry countries as a forage species. In the UK the Advanced<sup>TM</sup> Tall Fescue variety HYKOR with its improved tolerance of general stress and very dry conditions offers a unique solution for drought conditions and could be considered as an alternative to Cocksfoot offering significantly better yields and higher quality.





Lofa and Perseus are ideal companion grasses for Red Clover




One major advantage of Advanced<sup>TM</sup> Grasses is their disease resistance compared to conventional varieties as can be seen above

# Grass and Fodder Crops INNOVATION IN ACTION

Since HF Seeds was first launched in the 1960's it has been at the forefront of delivering innovation and introducing new technology into grass seed mixtures. From the introduction of Tetraploid and Hybrid Ryegrasses right through to developing specialist overseeding mixtures and the unique Festuloliums, HF's pioneering approach has ensured that livestock farmers have continually benefited from the very latest developments in forage mixtures.

In 2013 HF launched the revolutionary concept of iSeed 50® where HF GrassMax<sup>TM</sup> mixtures were treated with a fertiliser coating designed to increase seedling competitiveness and establishment by feeding the seed without feeding the surrounding sward.

For 2016, following extensive research, HF has taken this technology a stage further with a brand new fertiliser treatment called ProNitro®. ProNitro® is a nitrogen fertiliser coating for grass and clover where every individual seed is coated with nitrogen fertiliser in both fast and slow release forms.



Trials have shown that the nitrogen in ProNitro® encourages early root development improving access to other soil nutrients and consequently producing healthier, stronger plants. The same trials have demonstrated that by having nitrogen fertiliser in close proximity to the seed, the efficiency of use is up to 4 times greater than broadcast applications.





The benefit of ProNitro® is clear to see in both seed trays in the greenhouse and in the field where 4 weeks after sowing the density of control was rated at 4.2 compared to ProNitro® at 4.6







# Grass and Fodder Crops THE CLOVER STORY

Clover, and particularly White Clover, has always been an important component in UK grass mixtures and with current fertiliser prices and a growing appreciation of the benefits that clover can bring, there is no doubt that clover and increasing clover levels in grass swards is becoming more important on livestock farms.

The two clover species in greatest use on UK farms are White Clover (Trifolium repens) and Red Clover (Trifolium pratense). Although both species share the same name, each has very different characteristics, uses and production potential. Despite these differences however, they both offer similar benefits to the farmer by providing high quality, protein rich forage and a means of reducing or even completely eliminating the need for nitrogen fertiliser through a process unique to most legumes called nitrogen fixation.

#### Nitrogen Fixation

Both Red and White Clover form a mutually beneficial relationship with a naturally occurring soil bacterium called Rhizobium which colonises the roots of the clover plant in small growths or nodules. The Rhizobium bacteria in these nodules have the ability to take in or 'fix' nitrogen from the air and to convert it into a form which can then be utilised for plant growth.

As a rough guide, although the amount of nitrogen fixed is directly proportional to the level of clover in the sward, a good clover and grass sward has the ability to produce the equivalent of up to 160 units N/acre/year (200 kgs N/ha/year).

#### **Increased Intake**

Clover is very palatable and animals will eat more of a grass and clover sward than they will of a grass only sward.

#### **Better Livestock Performance**

The combination of clover's higher feed value and increased intake ensures substantial improvements in animal performance when compared to grass only swards.

#### **Forage Quality**

Although the immediate attraction of clover to most farmers lies in its nitrogen fixing ability, the inclusion of clover in a sward also substantially improves forage quality and consequently animal performance.

The digestibility of clover is considerably higher than grass and its D-value declines at a much slower rate than Ryegrass as the season progresses. In addition the crude protein level in clover is approximately 50% higher than grass of equivalent digestibility and clovers generally have significantly higher contents of many of the major and minor minerals.

## UNLOCKING THE BENEFITS OF CLOVER

#### **Clover Type**

Red and White Clover have very distinctive growth characteristics and behave very differently in the sward. These differences are explained in more detail on the following page but it is important to consider why clover is being included and to select the most appropriate species.

#### **Seedbed and Fertility**

The optimum soil pH for clover establishment is 6.0 - 6.5 and clover has a relatively high demand for both phosphate and potash to ensure good root development. Mixtures containing clover should be sown into a firm, fine seedbed and summer reseeds should be completed in time to allow plants to establish fully before the onset of winter.

## **Companion Grasses**

Selection of the most appropriate companion grasses to suit the type of clover and the sward purpose is essential. Companion grasses need to complement the clover species in terms of their lifespan, sugar levels, growth habit and competitiveness.





# Grass and Fodder Crops RED AND WHITE CLOVER

#### **RED CLOVER**

Red Clover is one of the highest yielding forage species available and in recent years it has undergone a massive resurgence in popularity largely due to better varieties, improved ensiling techniques and equipment, increased demand for greater protein self-sufficiency and reduced dependence on purchased nitrogen fertiliser.

Red Clover is a short-lived perennial plant with a normal lifespan of two to four years. It has a tufted, upright growth habit from the crown of the plant which lies at ground level and it has a deep tap root. Consequently, as it does not have the creeping growth habit of White Clover, Red Clover is unable to spread and fill open areas in the sward. Its upright growth habit from the central crown restricts its use for grazing and it is essentially a crop for silage production which can be cut 3 to 4 times a year over its life expectancy of 3 full production years.

Red Clover can be grown on its own or in a mixture with suitable companion grasses. The advantage of using Red Clover in a mixture with grass rather than on its own, is that the companion grasses provide protection from damage and poaching and if high sugar grasses are used, the nutritional balance and ensiling process is much improved. The ideal companion grasses are modern Tetraploid Hybrid Ryegrasses and the new Advanced<sup>TM</sup> Grasses, both of which have a similar lifespan to Red Clover and are sufficiently aggressive to compete and survive in a sward with a high Red Clover content.

#### **Red Clover Silage Facts**

Although Red Clover is primarily a cutting species and lacks persistency under grazing, aftermaths can be grazed in the autumn by beef cattle or fattening lambs, however due to the high oestrogen content of some varieties, grazing with breeding animals should be avoided.

Red Clover should be sown at 6-7 kgs /acre on its own or at 3.5-4 kgs/acre when sown with Hybrid and Advanced<sup>TM</sup> Grasses (25% of the mixture by weight).

Digestibility	60 – 70%
Dry Matter Yield	10 – 15 t DM/ha (4 – 6 t DM/acre)
<b>Dry Matter Content</b>	25 – 30%
Energy (ME)	10.0 – 11.5 MJ/kg DM
Crude Protein	15 – 20%

#### WHITE CLOVER

White Clover is less productive than Red Clover but is much more persistent and is therefore used in medium to long term mixtures. It has a very high feed value and its leaves and flowers originate from creeping stems called stolons which grow very close to the ground allowing White Clover to withstand even hard grazing.

The ideal grass and White Clover sward is one where the clover content is sufficiently large to optimise both its nutritional and nitrogen fixing abilities but which at the same time allows a high yield from the companion grasses. Typically White Clover should average at around 30% ground cover throughout the year although this will vary seasonally from as little as 5% in the spring to as much as 60% in mid and late summer.

The table below shows the typical quality characteristics of White Clover compared to Perennial Ryegrass.

	White Clover	Perennial Ryegrass
Digestibility (D-value)	75 – 85	65 – 75
Crude Protein (%)	25 – 28	16 – 18
Dry Matter intake by sheep (kg DM / day)	1.9	1.4
Calcium content (%)	1.6	0.6
Phosphorous content (%)	0.18	0.16
Copper (parts per million)	10.0	6.5
Selenium (parts per 100 million)	0.6	0.2

White Clover is essentially a poor competitor with grass as it is susceptible to shading and consequently tall open types are much more suitable as companion grasses than denser varieties. Thus the Tetraploid Perennials with their tall open growth habit and high yields are the ideal companion grasses to allow White Clover to thrive. To achieve the optimum clover content in the sward White Clover should be included in a mixture at 1.0-1.5 kgs/acre (7% - 10% of the mixture by weight).

White Clover varieties are classified into three groups according to their leaf size and to ensure long term clover survival it is essential to match leaf size to the intended sward use.

## **Small Leaved**

Small leaved varieties have a prostrate growth habit and are slow to establish but very persistent. They are ideal for close sheep grazing and will tolerate the poorer climatic and fertility conditions typical of upland areas.

## **Medium Leaved**

Medium leaved varieties have a taller growth habit best suited to dual purpose management and mixed or cattle grazing.

#### Large Leaved

Large leaved varieties exhibit a tall erect growth habit and consequently are generally more suited to cutting than grazing.

# Grass and Fodder Crops HF VARIETIES

All the varieties used in HF mixtures have been selected on the basis of their performance in trials throughout the UK. Information is collected from both in-house trials and from the various UK Recommended Lists of Grass and Clover Varieties thus ensuring that HF mixtures benefit from detailed up-to-date information on the latest varieties.





#### PERENNIAL RYEGRASS

Perennial Ryegrass is the most widely sown species in the UK. It forms the basis of most mixtures because of its combination of useful characteristics. Perennial Ryegrasses are grouped together according to their maturity or heading date.

#### **Early Maturing Varieties**

Early Perennial Ryegrass will start to grow up to two weeks earlier in the spring than later varieties. They are particularly useful for early growth for sheep grazing or in specialist silage mixtures being cut in early to mid May.

#### **GENESIS**

Genesis is exceptionally high yielding under both cutting and grazing with very good early spring growth. It also has very good late season growth for autumn grazing.

#### **Intermediate Maturing Varieties**

Intermediate Perennial Ryegrass varieties will head on average 7 to 10 days later than Early Perennials. They are high yielding and with their later heading offer greater flexibility of use making them well suited to a wide range of grassland enterprises.

## SOLOMON

A high DNDF variety with outstanding performance in all respects, Solomon is recommended throughout the UK and is very high yielding under both cutting and grazing. Solomon also has exceptionally good spring and autumn growth, excellent sward density and very good forage quality. An excellent variety in all respects.

#### NIFTY NEW FOR 2016

Recommended throughout the UK and an exceptional grazing variety, Nifty has very high grazing yields, excellent sward density and very good forage quality making it a superb new addition to the HF range.

#### **PREMIUM**

#### (only available as organic)

Premium is a high yielding variety under both cutting and grazing with very good mid-season forage quality. Very good ground cover and excellent disease resistance.

#### **BOYNE**

One of the highest yielding Perennial Ryegrasses on all three UK Recommended Lists, Boyne produces very high yields under both cutting and grazing with exceptional early spring growth leading to very high first cut yields. Grazing performance is also excellent both in early spring and throughout the year with high quality forage produced from a dense growth habit.

#### MAGICIAN (T)

#### (also available as organic)

Magician produces very high yields under both cutting and grazing. With exceptionally good early spring growth Magician produces very high grazing yields right though from spring to late summer and is high yielding for both first and second cut silage.

#### SEAGOE (T)

Another outstanding variety, Seagoe is recommended throughout the UK and produces very high yields under both cutting and grazing. Very good early spring and mid-summer growth with excellent forage quality.

#### **GLENSTAL (T)**

Glenstal is recommended for use throughout the UK and is very high yielding under both cutting and grazing. It also has very good early spring growth and good mid-summer and autumn growth.

#### Late Maturing Varieties

On average Late Perennial Ryegrass varieties head 10 - 14 days later than Intermediate Perennials. They are characterised by their more prostrate growth habit and provide very good density in the sward. They are high yielding with good persistence and will last for many years.

#### **PASTOUR**

#### (also available as organic)

A high DNDF variety and recommended for use throughout the UK, Pastour has very high yields under both managements. It has good spring growth and is particularly high yielding in mid and late summer. Very good resistance to Crown Rust and Drechslera.

#### **ROMARK**

## (also available as organic)

Romark is a high DNDF variety and is particularly suited to grazing where it produces very high yields. Very good ground cover and excellent midseason forage quality and digestibility. Romark is also very resistant to Crown Rust.

#### CANCAN

Cancan is a late heading diploid Perennial Ryegrass with a high DNDF content and very high yields under grazing. It has excellent sward density and very good forage quality making it a very useful variety in all types of mixture but particularly those with a bias towards grazing.

#### GLENROYAL NEW FOR 2016

Recommended for both Scotland and Ireland, Glenroyal Late Perennial Ryegrass is an excellent dual purpose variety with particularly good yields under grazing. It is a very dense variety with good forage quality and exceptionally good mid and late season growth.

#### TODDINGTON

Toddington is recommended for both Scotland and England and Wales and is an excellent dual purpose variety which has very high grazing yields, excellent forage quality and very good mid and late season growth.

#### **GLENVEAGH**

Glenveagh produces high yields of good quality forage under both managements from a very dense sward. Very good mid and late season growth.

#### KINTYRE (T)

Kintyre shows outstanding performance under both cutting and grazing with consistently high yields throughout the growing season and very good forage quality at both first and second cut.

#### TWYMAX (T)

A high DNDF variety, Twymax is recommended for use throughout the UK and is an excellent dual purpose variety with high yields under both cutting and grazing. Good forage quality and high mid-season grazing yields from a very dense sward for a Tetraploid.

#### ASPECT (T) NEW FOR 2016

A new variety in its first year of commercial availability, Aspect is recommended throughout the UK and produces very high yields under both managements. It has good forage quality at both first and second cuts and its very good grazing performance is maintained throughout the growing season.

## GLENCAR (T)

A superb cutting variety bred in Ireland, Glencar has very high silage yields particularly at first cut where its outstanding early spring growth produces very high yields.

## ALFONSO (T)

Recommended in Scotland and England and Wales, Alfonso is very high yielding under both cutting and grazing with outstanding early spring growth and good ground cover for a Tetraploid.

## **ITALIAN RYEGRASS**

Italian Ryegrass is relatively short lived and is therefore only used in one to three year leys. It has a long growing season and produces heavy crops of hay or silage. It has very good early spring growth and combined with its relatively late heading date, it will produce a leafy silage cut after early grazing.

#### **ALAMO**

Alamo is one of the highest yielding Italians on UK Recommended Lists and has good forage quality relative to other Italian Ryegrass varieties.

#### FOX

Fox is a new and very high yielding Italian Ryegrass with good forage quality and good resistance to all the main diseases affecting grass.

#### KIGEZI I (T) NEW FOR 2016

An excellent tetraploid variety with high yields, particularly at first cut, and good seasonal growth distribution. Good resistance to Crown Rust, one of the most damaging grassland diseases.

# Grass and Fodder Crops HF VARIETIES

#### **HYBRID RYEGRASS**

Hybrid Ryegrasses are bred from a cross between Italian and Perennial Ryegrass parents. The objective is to combine the production of Italian Ryegrass with the persistency and forage quality of Perennial Ryegrass and recent breeding advances have produced new varieties with these characteristics making them an ideal constituent in leys of up to five years duration.

#### **BAHIAL (T)**

A high yielding Tetraploid variety, Bahial has good seasonal growth, high D-value at both first and second cut and excellent resistance to all the main diseases affecting grass.

#### SOLID (T)

## (also available as organic)

Solid is a true Perennial type Hybrid producing high yields with exceptionally good mid-season digestibility and forage quality. Its Perennial characteristics ensure outstanding persistence and sward density. Solid also has excellent general disease resistance with very good resistance to Crown Rust.

## CITELIAC (T)

Citeliac produces massive yields under cutting combined with very good early spring growth and is an excellent variety where high yield is the main priority. It also has very good Crown Rust resistance.

#### **FESTULOLIUM**

The Festuloliums or Advanced<sup>™</sup> Grasses result from a cross between fescues and Ryegrass and offer all the benefits of Ryegrass combined with the stress tolerance of Fescues.

#### HYKOR

An Advanced<sup>TM</sup> Tall Fescue, Hykor is extremely drought tolerant and although its potential for use in the UK is limited it offers a unique solution for drought conditions and could be considered as an alternative to Cocksfoot offering significantly better yields and higher quality.



#### **LOFA**

As an Advanced  $^{\text{TM}}$  Hybrid Ryegrass, Lofa has the most general appeal for extensive use within UK grass mixtures. Behaving like a Hybrid Ryegrass but with very fast establishment, high yields, excellent stress tolerance and disease resistance it is an ideal component in 3 - 5 year mixtures and as a companion grass for Red Clover.

#### **PERSEUS**

Perseus is a variety of Advanced<sup>TM</sup> Italian Ryegrass but with much better persistence and combines high yields with good quality and high sugar levels. It has exceptional early spring growth and good disease resistance and with its unique set of characteristics it is also an ideal companion grass for Red Clover:

#### **TIMOTHY**

Timothy is an under-rated species as it brings many desirable features to a grass mixture. It has excellent early spring growth and is late heading, producing a large bulk of forage at first cut. It is very palatable, extremely winter hardy and thrives under cool wet conditions. Timothy is generally better suited to cutting, however its early spring growth can be very useful for early bite.

#### DOLINA

## (also available as organic)

Recommended by all three testing authorities, Dolina is one of the highest yielding Timothies on UK Recommended Lists. It performs particularly well under grazing and has excellent early spring growth and very good yield distribution throughout the growing season.

#### PROMESSE

An excellent Timothy variety with high yields, good sward density and very good summer and autumn growth.

#### WHITE CLOVER

White Clover varieties are classified by leaf size. The smaller leaved varieties have a prostrate creeping growth habit and persist well under grazing whereas the larger leaved varieties are more erect and better suited to cutting.

#### VIOLIN NEW FOR 2016

The highest yielding White Clover on the Recommended Lists for Scotland and England and Wales, Violin is an outstanding medium leaved variety with excellent whole season growth and good persistence under both cutting and grazing.

#### AVOCA

Avoca is an outstanding medium leaved variety recommended by all three testing authorities. It is extremely high yielding with excellent seasonal yield distribution and particularly good early spring growth compared to many other clover varieties. It is also very persistent under both cutting and grazing.

#### IONA

Recommended for use throughout the UK, Iona is a new medium leaved variety producing high clover yields. Excellent growth throughout the entire season with good persistency.

#### **GALWAY**

A small leaved variety with good yields and excellent persistence under hard grazing.

#### **RED CLOVER**

Red Clover is an aggressive and very high yielding but relatively short-lived species with a maximum life expectancy of around 3 years. It is primarily used in short term conservation mixtures. Resistance to Sclerotinia and Stem Eelworm both of which are very damaging to the persistency of Red Clover is an important factor to consider in the evaluation of varieties.

Due to an expected shortage of Red Clover seed in 2016, variety choice may be limited and subject to change.



#### RAJAH

#### (only available as organic)

An intermediate to late flowering variety, Rajah is a Diploid variety with high yields, good persistency and general disease resistance. Rajah also shows good resistance to both Sclerotinia and Stem Felworm.

#### AMOS (T)

A very high yielding Tetraploid variety with intermediate earliness. Amos has good general disease resistance relative to other varieties but has much better persistency and maintains high yields over a longer period.

#### MAGELLAN (T)

A Tetraploid variety, Magellan produces very high yields of protein rich forage particularly in the second and third years.


#### CORVUS

High annual yields with good ground cover and persistency over three harvest years.

# Grass and Fodder Crops MIXTURE SELECTOR

HF mixtures are designed and formulated to meet specific sward uses. Significant differences between mixtures are not always obvious but even small differences can change the way in which the final sward behaves. Selection of the wrong mixture will inevitably mean that the sward will not perform up to expectations simply because it is the wrong mix for the job.

The HF mixture selector is designed to help answer many of the common questions in mixture selection, however it is not possible to cater for every situation and if in doubt contact HF Seeds for further advice.



## Grass and Fodder Crops westerwolds ryegrass

Although a high proportion of the grass in arable and mixed farming areas is still sown in the spring often under cereals, in true grassland areas there is an increasing trend towards replacing grass in the traditional summer reseed months of August and September.

The practice of summer reseeding is popular as it allows one or perhaps two cuts of silage to be taken before the field is ploughed and then effectively lost to production while the new grass is establishing and provided the new grass has time to fully establish before the onset of winter, the field can be brought into full production, invariably for silage, in the following year. There can also be a significant benefit in terms of the weed burden and control when reseeding in summer as opposed to the spring.

However whilst there is no doubting the potential benefits of a summer reseed, these benefits are completely cancelled out if circumstances or weather conditions prevent or delay the reseed taking place. A missed reseed can mean a poor field of grass is carried forward for another year and a delay can result in insufficient time for establishment before the onset of winter and an increased risk of failure. In both cases one of the key objectives of a fully established and highly productive sward for the following year is lost.

Reseeding in the spring with a full mix containing Westerwolds Ryegrass can represent an alternative to a summer reseed and can produce substantial bulk for cutting or grazing in the year of sowing. Westerwolds Ryegrass is a fast growing, short lived species which is added to a full mixture with the specific purpose of providing bulk at the same time as the full mix is establishing. It is cheap, highly effective in terms of bulk production and as it comes ready mixed, sowing can be completed in a single operation. It is included in the mixture purely for short term production and is designed to die out in the year of sowing after an initial flush of growth. Westerwolds Ryegrass can be added to any HF mixture and is included at 20% by weight taking the total sowing rate to  $17-18~{\rm kgs/acre}$ .



'We have a mixed farm in challenging conditions at 800 feet above sea level and very heavy ground. I have found that HF mixtures are high yielding and produce a very dense and persistent sward capable of withstanding everything we throw at it. I am very pleased with their performance'

Robert Wilson, South View Farm, Ellonby, Penrith Cumbria

The advantages of adding Westerwolds Ryegrass to a full grass seed mixture are as follows:

- It will provide production for cutting or grazing in the year of sowing and can be grazed in 6 8 weeks or cut 10 12 weeks after sowing
- It will provide rapid regrowth for grazing or subsequent cuts
- A spring reseed with Westerwolds will produce an estimated 20 25 tonnes of forage per acre in the year of sowing
- It is delivered ready mixed and sowing is completed in a single operation
- It provides a nurse crop to the establishing full mix protecting against adverse conditions and helping to compete against weeds

As Westerwolds Ryegrass is an aggressive fast growing species it is essential that it dies out in the year of sowing. Plants surviving into the second year will compete with and ultimately damage the final sward. Consequently mixtures containing Westerwolds should always be sown before the end of June and their autumn management should include hard grazing to ensure the Westerwolds component is completely eradicated before the following spring.



The addition of Westerwolds Ryegrass can provide much needed bulk in the year of sowing



'HF mixtures give us good season long grazing on dense swards and really high quality silage in the pit. We usually make silage in the 1st week of June and have been very pleased with both the quality and the yield of our mixtures over many years'

DrewThomson, winner of both the Norgrass and the National Silage Competitions in 2015, Middleton of Potterton. Aberdeen, Aberdeenshire

#### ONE TO TWO YEAR MIXTURE

HF



A mixture designed for intensive use and maximum yield over two full production years. Suitable for intensive cutting and/or grazing and the standard mix can be undersown or direct seeded. A Red Clover inclusion option is available if required but this mix is not suitable for undersowing.

**Italian Ryegrass** 

KIGEZI I

**Tetraploid Italian Ryegrass** 

Advanced™ Italian Ryegrass

Advanced<sup>™</sup> Hybrid Ryegrass

**CITELIAC** 

**Tetraploid Hybrid Ryegrass** 

## RECOMMENDED SOWING RATE 13 - 14 KG/ACRE (32 - 35 KG/HECTARE)

- Optimum cutting date first week in June
- Massive yield potential from the combination of very high
- Includes the Advanced™ Grasses, Perseus and Lofa, for their exceptionally high yields, good forage quality and excellent
- Specially formulated with the correct proportions of the highest yielding varieties for maximum yield and persistency over two full production years
- Only contains grasses capable of establishment and
- High Tetraploid content ensures grazing palatability and high sugar levels for rapid silage fermentation
- Exceptionally good early spring growth from all
- Suitable for early bite followed by first cut silage as the relatively late heading dates and good D-values allow
- Varieties specially selected for forage quality, palatability
- Option to add Red Clover where the mix is intended



#### THREE YEAR MIXTURE

HF

# SURECROI

A high performance three year mixture including Hybrid and Perennial Ryegrasses and White Clover. HF Surecrop is suitable for intensive cutting and/or grazing and can be either undersown or direct seeded. A Red Clover inclusion option which is unsuitable for undersowing is available if required. For optimum performance HF Surecrop is best grazed in its first year.

**Tetraploid Hybrid Ryegrass** 

Tetraploid Hybrid Ryegrass

Advanced<sup>™</sup> Italian Ryegrass

Advanced™ Hybrid Ryegrass

**Tetraploid Intermediate Perennial Ryegrass** 

HF CUTTING CLOVER BLEND

White Clover

## RECOMMENDED SOWING RATE 13 - 14 KG/ACRE (32 - 35 KG/HECTARE)

- Optimum cutting date first week in June
- Suitable for both cutting or grazing and specially formulated for exceptionally high yields over three full
- Contains a high proportion of Seagoe, one of the highest yielding Intermediate Perennial Ryegrasses on the current SRUC Recommended List
- Includes the Advanced™ Grasses, Perseus and Lofa, for their exceptionally high yields, good forage quality and excellent
- Italian Ryegrass with the persistency and forage quality of
- Very good early spring growth for high yields at first cut
- Only contains grasses capable of establishment and
- High Tetraploid content ensures grazing palatability and high sugar levels for rapid silage fermentation
- Unique blend of highly productive White Clover varieties designed to maximise production, herbage quality and
- Option to add or to change to Red Clover where the mix is



'Grass silage is the backbone of our feeding system and we need consistently high yielding swards of quality grass to feed our 300 cows and 350 young stock. Fields are usually



down for 3 or 4 years, but occasionally we leave a field for a 5th year. We take 2 or 3 cuts of silage with aftermath grazing for the heifers. HF mixtures suit our system really well, they are reliable and hardy enough to withstand both our cold winters and several slurry applications'

Ronald Barron, Darrahill Farm, Udny, Aberdeenshire



'We have used HF mixtures for many years and have always been very pleased with results, we mainly use HF11 which continues to consistently comes up with the big



yields of quality grass that we need for our high stock numbers here in the north east of Scotland'

John and Andrew Mair , Yonder Bognie , Forgue , Huntly, Aberdeenshire



'We fatten heifers through the winter on good dry silage that is almost haylage. Protein and ME are consistently good from our HF I I which bulks up perfectly for us at

the end of May, without any early seed heads to lower the quality. Sheep graze the fields after the 2nd cut and there is always plenty of white clover in the swards'

Robert Mitchell, Cloisterseat, Udny, Ellon, Aberdeenshire



'Persistency and performance is what I look for in my grass seed mixtures and I get both from HF Seeds. All our grass has sheep running on it through the winter and early

spring so fields have to be hardy, dense and also be able to bulk up in time for big cuts of silage for the fattening cattle and cows. Good sound technical advice is part of the HF package and is certainly very useful'

Ewan Cheape, Letham Farm, Glenfarg, Perthshire

#### **DUAL PURPOSE MIXTURES**

HF



Scotland's best selling dual purpose mixture, tried and tested across the country and renowned for its yield and performance under different management regimes. HF II is a flexible, rotational mixture suitable for both cutting and grazing and will last from five to eight years.

#### BOYNE

Intermediate Perennial Ryegrass

NIFTY

Intermediate Perennial Ryegrass

SOLOMON

Intermediate Perennial Ryegrass

Tetraploid Intermediate Perennial Ryegrass

Tetraploid Intermediate Perennial Ryegrass TODDINGTON

Late Perennial Ryegrass

**GLENROYAL** 

**Late Perennial Ryegrass** 

**PASTOUR** 

**Late Perennial Ryegrass** 

**KINTYR** 

**Tetraploid Late Perennial Ryegrass** 

**DOLINA** 

Timothy

**PROMESSE** 

Timothy

HF DUAL PURPOSE CLOVER BLEND

White Clover

#### RECOMMENDED SOWING RATE 13 - 15 KG/ACRE (32 - 37 KG/HECTARE)

- Optimum cutting date end of first week in June
- Improved for 2016 with the addition of Nifty, a brand new Intermediate Perennial Ryegrass in its first year of commercial availability and one of the highest yielding varieties under grazing on the 2016 SRUC Recommended List with excellent sward density
- Contains only the very best and most productive varieties including Boyne, Seagoe, Glenroyal and Kintyre, all of which have very high yields under both cutting and grazing combined with very good forage quality and excellent sward density
- Specially formulated for high DNDF forage with high proportions of the top varieties Solomon and Pastour
- Exceptional sward density from Solomon, Boyne, Nifty and Glenroyal four of the densest varieties on the SRUC Recommended List
- Contains HF's unique Dual Purpose Clover Blend which is based on the most productive varieties and designed to achieve the maximum clover content and persistency unde both cutting and grazing

OVERSEED WITH



#### **DUAL PURPOSE MIXTURES**

HF

# <u>PIRIOISIPIEICITI</u>

A dual purpose rotational mixture, similar to HF II in many ways, but containing Early Perennial Ryegrass to give early spring growth for early bite for ewes and lambs. In a cutting situation HF Prospect is earlier heading than HF II but with its better early season growth it is the ideal mix on beef and sheep farms where early bite is required before first cut silage.

CENIECIO

**Early Perennial Ryegrass** 

**BOYNI** 

**Intermediate Perennial Ryegrass** 

**SOLOMOI** 

**Intermediate Perennial Ryegrass** 

SEAGO

**Tetraploid Intermediate Perennial Ryegrass** 

TODDINGTON

Late Perennial Ryegrass

GLEINKOYA

**Late Perennial Ryegrass** 

**PASTOUR** 

**Late Perennial Ryegrass** 

KINTYRE

**Tetraploid Late Perennial Ryegrass** 

DOLINA

Timothy

PROMESSE

Timothy

HF DUAL PURPOSE CLOVER BLEND

White Clover

#### RECOMMENDED SOWING RATE 13 - 15 KG/ACRE (32 - 37 KG/HECTARE)

- Optimum cutting date last week in May
- Improved for 2016 with the addition of Glenroyal, one of the highest yielding Late Perennial Ryegrasses under grazing on the 2016 SRUC Recommended List
- Contains the high DNDF varieties Solomon and Pastour included for their forage quality and excellent overall performance
- Includes a high proportion of Boyne Intermediate Perennial Ryegrass bringing exceptionally good early spring growth and very high yields under both cutting and grazing
- Specially formulated for early spring growth to provide early hite for ewes and lambs
- Excellent sward density particularly from Solomon, Boyne and Glenroyal three of the densest varieties on the 2016 SRUC Recommended List
- Contains a high level of HF's unique Dual Purpose Clover Blend designed to achieve maximum clover content and production in a sward which is likely to be grazed in the early spring and late summer in addition to being cut for silage

OVERSEED WITH



#### INTENSIVE CUTTING MIXTURES

# rutsward

A specialist high yielding silage mixture of medium term duration with delayed heading for late areas or where first cut is taken in early lune.

**Intermediate Perennial Ryegrass** 

**Intermediate Perennial Ryegrass** 

**Tetraploid Intermediate Perennial Ryegrass** 

**Tetraploid Intermediate Perennial Ryegrass** 

**Late Perennial Ryegrass** 

**Late Perennial Ryegrass** 

KINTYRE

**Tetraploid Late Perennial Ryegrass** 

**Tetraploid Late Perennial Ryegrass** 

DOLINA

**Timothy** 

**Timothy** 

HF CUTTING CLOVER BLEND

White Clover

## RECOMMENDED SOWING RATE 13 - 15 KG/ACRE (32 - 37 KG/HECTARE)

- Optimum cutting date end of first week in June
- Specially formulated for high DNDF forage containing the top varieties Solomon and Pastour included for their forage quality and excellent overall performance
- Contains high proportions of some of the highest yielding varieties under cutting on the 2016 SRUC Recommended List including Boyne, Solomon, Seagoe, Alfonso and Kintyre
- All varieties recommended by SRUC and selected on the basis of their high conservation yields
- Contains later heading varieties with good spring growth which have been specially selected to maximise silage yields
- Superb forage quality and D-value
- The relatively high Timothy content makes this mixture an ideal choice for conservation on colder sites and in later
- Excellent winter hardiness and sward density
- Clover content based entirely on HF's unique Cutting Clover



HF *SUP* E

A medium term silage mixture specifically designed for three cut systems. The mixture recipe and variety split ensures the very good early spring growth which is necessary to produce high yields at early first cut dates.

Advanced™ Hybrid Ryegrass

**Intermediate Perennial Ryegrass** 

SOLOMON

**Intermediate Perennial Ryegrass** 

**Tetraploid Intermediate Perennial Ryegrass** 

**TODDINGTON** 

**Late Perennial Ryegrass** 

**PASTOUR** 

**Late Perennial Ryegrass** 

**GLENCAR** 

**Tetraploid Late Perennial Ryegrass** 

**ALFONSO** 

**Tetraploid Late Perennial Ryegrass** 

HF CUTTING CLOVER BLEND

White Clover

## RECOMMENDED SOWING RATE 13 - 14 KG/ACRE (32 - 35 KG/HECTARE)

- Specially formulated with varieties with the highest conservation yields on the 2016 SRUC Recommended List including Boyne, Solomon, Seagoe, Glencar and Allfonso
- Contains Lofa Advanced™ Hybrid Ryegrass, an ideal component in an intensive silage mix included for its very high conservation yield and fast regrowth after cutting
- Superb early spring growth for high first cut yields at early
- High sugar yield per acre ensures maximum feeding value, excellent palatability and rapid silage fermentation
- Contains the high DNDF varieties Solomon and Pastour included for their yield, forage quality and excellent overall
- Based on varieties which have shown good persistence
- Good mid-season growth and digestibility for second and
- Clover content based entirely on HF's unique Cutting Clover



'I use a range of HF mixtures across the different soils and locations that I farm, depending on what the intended end use is, because they consistently do very well. This



year I've had an amazing yield of 27 bales an acre from 2 cuts. Good sward density, high digestibility and consistently big yields all contribute to why I choose HF Seeds'

George Wilson, Turtory, Bridge of Marnoch, Huntley,



'We have used HF PD for longer than we can remember. It gives us the early grass we need, plenty of bulk for silage and excellent grazing throughout the year'



Craig and Norman Bridgewater, Borthaugh Farm, Hawick, Roxburghshire



'With a 350 Ayrshire herd milking all year round, silage yields and quality are equally as important as good grazing swards and HF mixtures deliver on both counts. We cut

around 700 acres of silage with great yields and excellent quality and our latest sowings of Super Graze and HF PD have established really well producing lovely dense swards. I also rely on HF's technical support and our local man helps keep us right. I am delighted with the mixtures and will definitely keep using HF'

Samuel Allen, Aghadowey, Co Londonderry





"We have reseeded with HF PD over many seasons and have found it very reliable both in its establishment and in producing a really dense sward. We graze it in early

spring with our earlier lambing ewes then shut the fields up for a good crop of silage for the cattle. PD always grows well into the autumn and the clovery aftermaths are great for finishing the later lambs. HF PD does the business for us'

Stanley Smith, Brocklerigg Farm, Lockerbie, Dumfries and Galloway

#### INTENSIVE GRAZING MIXTURE

HF *SUPE* 

Specially designed for intensive cattle grazing. Based on short growing, high tillering and long lived grasses and producing a very dense, highly productive sward of great persistence. Suitable for medium to long term use.

**Intermediate Perennial Ryegrass** 

**Intermediate Perennial Ryegrass** 

#### SOLOMON

**Intermediate Perennial Ryegrass** 

#### SEAGOE

**Tetraploid Intermediate Perennial Ryegrass** 

**Late Perennial Ryegrass** 

#### **GLENROYAL**

**Late Perennial Ryegrass** 

## **TODDINGTON**

**Late Perennial Ryegrass** 

#### **PASTOUR**

**Late Perennial Ryegrass** 

**Tetraploid Late Perennial Ryegrass** 

## HF GRAZING CLOVER BLEND

White Clover

## RECOMMENDED SOWING RATE 13 - 15 KG/ACRE (32 - 37 KG/HECTARE)

- Specially formulated for high DNDF forage containing the the top varieties Solomon, Cancan and Pastour included for their excellent forage quality
- Contains varieties specially selected for their grazing performance in terms of yield, ease of grazing management, forage quality and sward density
- Improved for 2016 with the addition of Nifty, a brand new variety in its first year of commercial availability with very high grazing yields, good forage quality and excellent
- High sugar yields ensure excellent palatability and improved animal performance
- Extreme sward density able to withstand heavy grazing and poaching in high rainfall areas
- Based on a unique blend of Perennial Ryegrass varieties designed to provide predictable grazing yield and quality
- Formulated to have grass at the right stage for grazing at
- Even grass growth throughout the season allows ease of
- Contains the best possible White Clover varieties for production and persistence under intensive cattle grazing



#### **PERMANENT MIXTURE**

#### HF



A versatile permanent mixture with extreme sward density consisting of a blend of grasses and clovers that will produce a well balanced sward giving even growth of quality herbage for many years.

**Early Perennial Ryegrass** 

**Intermediate Perennial Ryegrass** 

**Intermediate Perennial Ryegrass** 

#### **SEAGOE**

**Tetraploid Intermediate Perennial Ryegrass** 

#### PASTOUR

**Late Perennial Ryegrass** 

#### **TODDINGTON**

Late Perennial Ryegrass

**Tetraploid Late Perennial Ryegrass** 

Timothy

## PROMESSE

**Timothy** 

#### MAXIMA

**Creeping Red Fescue** 

#### HF DUAL PURPOSE CLOVER BLEND

White Clover

#### RECOMMENDED SOWING RATE 14 - 16 KG/ACRE (35 - 40 KG/HECTARE)

- Varieties specially selected for their high yields under both cutting and grazing but also their early spring growth and
- Contains the high DNDF varieties Solomon and Pastour included for their forage quality and excellent overall
- for grazing and/or cutting
- Superb early spring growth from Genesis, Solomon, Seagoe, Alfonso and the Timothy varieties to ensure early bite for ewes and lambs but also high yields of quality fodder at first cut
- Very persistent and winter hardy varieties for longevity of the
- Extreme sward density from a high proportion of Late Perennial Ryegrass and also from a low inclusion of Creeping
- Excellent mid and late season growth maintains summer production and extends the grazing season
- designed to maximise the clover content for production,



#### **PERMANENT MIXTURE**

HF



A long term traditional mixture containing Cocksfoot designed for more extensive use and to improve production on land which is prone to drought.

**Early Perennial Ryegrass** 

#### SOLOMON

**Intermediate Perennial Ryegrass** 

#### **GLENSTAL**

**Tetraploid Intermediate Perennial Ryegrass** 

#### **TODDINGTON**

**Late Perennial Ryegrass** 

#### **PASTOUR**

**Late Perennial Ryegrass** 

#### **TWYMAX**

**Tetraploid Late Perennial Ryegrass** 

## **DOLINA**

**Timothy** 

## **PROMESSE**

**Timothy** 

DONATA

Cocksfoot

#### **MAXIMA**

**Creeping Red Fescue** 

#### HF GRAZING CLOVER BLEND

White Clover

#### RECOMMENDED SOWING RATE 14 - 16 KG/ACRE (35 - 40 KG/HECTARE)

- Contains Cocksfoot for early spring growth and
- Excellent early bite for ewes and lambs
- All varieties selected on the basis of their yield, persistency
- Blend of grasses formulated to provide consistent
- Excellent sward density to resist poaching and for longevity
- Will perform equally well under cutting or grazing
- Creeping Red Fescue with its creeping growth habit binds
- Contains HF's highly productive Grazing Clover blend to maximise production, herbage quality and livestock performance



#### SPECIALIST MIXTURES

HE

# High-hill

A long term hill mixture specially designed for sheep grazing and to suit the harsher conditions of upland pastures. Ideal for reseeding hills or reclaiming marginal land. Contains grasses suited to the poorer soils and shorter growing season typical of hill ground.

**Intermediate Perennial Ryegrass** 

#### SOLOMON

**Intermediate Perennial Ryegrass** 

#### **TODDINGTON**

**Late Perennial Ryegrass** 

#### CANCAN

**Late Perennial Ryegrass** 

## **TWYMAX**

**Tetraploid Late Perennial Ryegrass** 

#### **DOLINA**

**Timothy** 

**PROMESSE** 

**Timothy** 

**MAXIMA** 

**Creeping Red Fescue** 

#### HF GRAZING CLOVER BLEND

White Clover

#### RECOMMENDED SOWING RATE 14 - 16 KG/ACRE (35 - 40 KG/HECTARE)

- Based on later heading varieties to ensure good growth in
- Early bite provided by a high Timothy content and a high proportion of grazing tolerant Perennial Ryegrass varieties
- Very good winter hardiness for longevity under harsher
- Varieties selected for sward density to resist poaching
- A high proportion of persistent Late Perennials ensures good production over many years
- The unique combination of grazing Perennial Ryegrasses produces short dense growth ideal for grazing
- Creeping Red Fescue with its creeping growth habit binds
- High content of HF's unique Grazing Clover blend specially







'On a sheep farm in the Scottish borders we need tough mixtures that will last the pace but still produce quality grazing and a good bulky cut of silage. HF High Hill with its



later heading dates suits our area, producing a dense and persistent sward full of clover that grazes really well but still allows us to take a cut of good quality silage'

Scott Lambie, Ashcraig Farming Partnership, Bridgelands Farm, Selkirk and Acreknowe Farm, Hawick, Scottish Borders



# M-Hale



'If I had to sum up HF mixtures in one word I would say reliable. Farming at over 650ft in Strathspey I need dense, winter hardy swards that will last, regardless of what

the weather brings. I've been using HF seeds since 1984 to give me big crops of silage for the first 3 years, followed by hay and plenty of grazing for both my suckler cows and my finishing cattle'

John MacGillivray, East Croftmore, Boat of Garten, Inverness-shire

#### SPECIALIST MIXTURES

HF

# SCOTS•HAY

A modern mixture for traditional hay making, specially designed with varieties to produce a large bulk of the type of forage typically required for hay.

**Intermediate Perennial Ryegrass** 

**Intermediate Perennial Ryegrass** 

#### **TODDINGTON**

**Late Perennial Ryegrass** 

#### **PASTOUR**

**Late Perennial Ryegrass** 

#### LAURA

**Meadow Fescue** 

#### **DOLINA**

**Timothy** 

## PROMESSE

Timothy

HF DUAL PURPOSE CLOVER BLEND

White Clover

#### RECOMMENDED SOWING RATE 13 - 14 KG/ACRE (32 - 35 KG/HECTARE)

- Specially designed to produce top yields of easily made hay
- Contains only grasses selected for their ease of haymaking and their high conservation yields including Boyne the highest yielding Intermediate Perennial Ryegrass on the 2016 SRUC Recommended List
- Contains the high DNDF varieties Solomon and Pastour included for their forage quality and excellent overall
- High Timothy content ideal for hay mixtures
- Varieties selected on the basis of their growth pattern and
- Very good sward density despite a high Timothy content
- Based on leafy but relatively stemmy varieties for ease of
- Good winter hardiness and persistency ensures consistent

HF

# **HORSE** Paddock

A custom built mix using species and varieties specially selected to produce a very dense and hard wearing sward suitable for horses and ponies. Designed to provide palatable grazing throughout the growing season but also suitable for hay production.

**Intermediate Perennial Ryegrass** 

#### CANCAN

**Late Perennial Ryegrass** 

#### **GLENROYAL**

**Late Perennial Ryegrass** 

#### DOLINA

**Timothy** 

#### PROMESSE

**Timothy** 

#### MAXIMA

**Creeping Red Fescue** 

#### RECOMMENDED SOWING RATE 15 KG/ACRE (37 KG/HECTARE)

- Based on the densest varieties for an exceptionally dense damage resistant sward with all three Perennial Ryegrasses
- High Timothy content ideal for horses and ponies
- Formulated with varieties which will provide attractive but low sugar forage to help minimise the risk of laminitis
- Designed to produce palatable grazing throughout the
- Creeping Red Fescue with its creeping growth habit binds
- Offers the option of horse hay production if required

#### **SPECIALIST MIXTURES**

#### HF

# Dry LAND

A specialist mixture for very dry conditions using deep rooted grasses with excellent resistance to drought. Formulated using species not commonly found in UK agricultural mixtures, HF Dry Land is designed to produce fodder in extremely dry situations where conventional mixtures are likely to fail.

#### **K**∩R∆

**Tall Fescue** 

**HYKOR** 

Advanced™ Tall Fescue

LOF

Advanced™ Hybrid Ryegrass

**DONATA** 

Cocksfoot

**ALFONSO** 

**Tetraploid Late Perennial Ryegrass** 

# RECOMMENDED SOWING RATE 15 KG/ACRE (37 KG/HECTARE)

- A unique solution to fodder production in very dry
- Contains species specially selected for their drought and stress tolerance in particular Hykor Advanced™ Tall Fescue and Lofa Advanced™ Hybrid Ryegrass
- Also includes Tall Fescue a species used for forage
- High sugar varieties with good forage quality used to balance the poorer quality of the Tall Fescue and Cocksfoot
- Suitable for cutting or grazing
- Contains the unique Late Tetraploid Perennial Ryegrass variety Alfonso, included to improve palatability and for its drought tolerance, sward density and persistency
- Excellent disease resistance particularly to Crown Rust which can be a major problem in hot, dry conditions and which can seriously affect both yield and palatability

#### **LANDSCAPING**

# Multi Purpose

A mixture specially designed for all situations where a relatively hard wearing, low maintenance grass sward with an attractive appearance is required. This mix is ideal for river banks, roadside verges, orchards, caravan sites, headlands round fruit fields, paths etc and any other situations where low maintenance cover is required.

#### **ROMARK**

**Late Perennial Ryegrass** 

**MAXIMA** 

**Creeping Red Fescue** 

# RECOMMENDED SOWING RATE 25 KG/ACRE (62 KG/HECTARE)

- Suitable for all low maintenance situations where an attractive appearance is required
- Although the sowing rate is higher than standard agricultural mixtures it is considerably less than the rate
- Produces a hard wearing and attractive sward with a good dark green colour
- Designed for situations where an attractive appearance is required but where the circumstances do not justify the expense of a true amenity mix
- Specially formulated with a high proportion of Creeping Red Fescue for extreme sward density and wear tolerance

#### SHEEP FEED MIXTURES

## HF



A highly productive catch cropping mix including white turnips designed to produce autumn grazing for sheep and fattening lambs.

ALAMO

Italian Ryegrass

EMERALD

Forage Rape

GREEN GLOBE

White Turnip

RECOMMENDED SOWING RATE 9 KG/ACRE (22 KG/HECTARE)

#### HF



A highly productive catch cropping  $\min$  similar to HF CC but without white turnips.

#### **ALAMO**

**Italian Ryegrass** 

**EMERALD** 

Forage Rape

RECOMMENDED SOWING RATE 9 KG/ACRE (22 KG/HECTARE)

HF CC and CD are balanced mixtures designed to produce an Italian Ryegrass sward with a brassica cover crop thereby providing both autumn grazing from the combination of species and winter and early spring grazing from the Italian Ryegrass. Inevitably this compromise will not produce the short term bulk of a single brassica but will provide a lower level of keep for a longer period of time. In the management of these mixtures it should be remembered that both rape and turnips are aggressive species and if allowed to grow too tall they can smother the Italian Ryegrass. These mixtures should therefore be grazed early to allow the Italian to thrive.



# Grass and Fodder Crops overseeding

Every grassland farmer is well aware of the vigour and high level of production that can be achieved from a new reseed and also that inevitably through time, the sown grasses begin to disappear and the sward thins out and production suffers. The decline of sown species is influenced by many different factors but on average by the time grass reaches 7 or 8 years old, only around 60% of the sown species remain and 40% of the sward is either bare ground or occupied by weed grasses. This deterioration not only affects yield but also has a significant effect on palatability, forage quality, spring growth and the overall response to fertiliser inputs. When these are added together, the effect on both animal performance and the overall financial return is substantial and a sward with 40 – 50% bare ground or weed grass content can mean a loss of up to £300 per acre per year in feed value.

Recognising the need to maintain a high proportion of sown species in older grass and that a full reseed is not always practical, HF Seeds has developed the  $GrassMax^{TM}$  system of overseeding which presents a real opportunity to restore production in tired or damaged swards to newly sown levels without the expense or disruption of a full reseed. The  $GrassMax^{TM}$  system of overseeding can also be used to introduce or increase clover levels in existing swards.

The key to successful overseeding lies in ensuring that the newly sown plants are capable of competing with the existing grass and that the germinating seedlings have sufficient vigour to establish successfully in what can be a very competitive environment. Increasing the competitiveness of the establishing plants can be achieved in three ways each of which has a cumulative effect in ensuring success.

#### **Minimise Competition from the Existing Sward**

When the existing sward is growing strongly there is obviously more competition for the establishing seedlings. Consequently the timing of the actual overseeding operation and the subsequent fertiliser treatment are important factors to consider. The objective should be to find a window during the season when the existing sward is short and is not growing strongly. Ideal conditions are provided after a hard graze or immediately after the last silage cut of the season. No fertiliser should be applied for at least 15 days after the overseeding operation.

## Use a Mixture Designed for Overseeding

Large seeded grasses are more competitive in their establishment and all the HF GrassMax<sup>TM</sup> mixtures are comprised of Tetraploid Hybrid and Perennial Ryegrasses and Advanced<sup>TM</sup> Grasses specially selected for their establishment vigour. The use of these large seeded, aggressively establishing grasses significantly increases their ability to compete with the existing sward.

#### **Use Mixtures Treated with ProNitro®**


NEW FOR 2016

Although conventional broadcast fertiliser application will help to increase the establishment vigour of the new seedlings, its growth

promotion effect on the existing sward is much greater and competition is increased to a level which can overwhelm the establishing seedlings. For 2016 all HF GrassMax™ mixtures



are available with the brand new and revolutionary ProNitro® seed treatment where every individual seed is coated with nitrogen fertiliser in both fast and slow release forms (see page 7). This unique targeted fertiliser concept feeds the sown seeds and not the surrounding sward and dramatically improves establishment vigour at the most crucial stage in the overseeding process. Extensive trials have shown that the uptake of ProNitro® fertiliser is up to 4 times more effective than broadcast applications and have demonstrated substantial gains in the number of plants established and in both root and shoot development.





# Grass and Fodder Crops overseeding

#### **OVERSEEDING MIXTURES**

#### $\mathbf{HF}$



A mixture specially designed for overseeding fields which will be mainly cut for silage.

SOLID

**Tetraploid Hybrid Ryegrass** 

LOFA

**Advanced™ Hybrid Ryegrass** 

SEAGOE

**Tetraploid Intermediate Perennial Ryegrass** 

HF CUTTING CLOVER BLEND

White Clover

# RECOMMENDED SOWING RATE 10 KG/ACRE (25 KG/HECTARE)

- Only contains large seeded, aggressively establishing grasses for their establishment vigour and ability to compete in an existing sward
- Contains Lofa Advanced™ Hybrid Ryegrass included for its high conservation yields, forage quality and fast regrowth
- Very good forage quality from Solid in particular
- Varieties chosen for good spring growth to ensure high yields at first cut
- Contains a high proportion of HF's unique Cutting Clover Blend to ensure good clover production and survival under intensive silage management
- Grasses specially selected for their high sugar content to balance the relatively low sugar levels in White Clover
- No clover option available on request

#### $\mathbf{HF}$



A specialist overseeding mixture containing a high level of Red Clover designed to introduce both new grass and Red Clover into silage swards. This mix can also be used to prolong the life of existing Red Clover swards provided Eelworm is not a problem

#### CITELIAC

Tetraploid Hybrid Ryegrass

**LOFA** 

Advanced™ Hybrid Ryegrass

HF RED CLOVER BLEND

**Red Clover** 

# RECOMMENDED SOWING RATE 10 KG/ACRE (25 KG/HECTARE)

- Only contains large seeded aggressively establishing grasses for their establishment vigour and ability to compete in an existing sward
- Contains a high proportion of Lofa Advanced<sup>M</sup> Hybrid Ryegrass an ideal companion grass for Red Clover, included for its high conservation yields, forage quality and fast regrowth
- 30% Red Clover content to ensure a good plant population in the overcooded sword
- Very good forage quality from Solid in particular
- The high sugar content of the Hybrid Ryegrasses is the perfect match to balance the relatively low sugar levels in Red Clayer



Overseeding GrassMax<sup>TM</sup> Graze at Inverbrora Farm, Brora, Sutherland

## **Guidelines for Successful Overseeding**

## **Field Preparation**

- Remove all surplus grass growth by cutting or hard grazing
- Scarify the area in opposite directions using a wire tine grass scarifying harrow

#### Sowing

- Sow at the same time as scarifying with up to 10 kg/acre (25 kg/hectare) of the appropriate GrassMax/ mixture
- Where ProNitro® treatment is used, as the fertiliser coating increases the weight of the seed, it is necessary to increase the treated seed sowing rate to ensure the number of actual seeds remains at the target level. In 2016 the unique formulation of ProNitro® increases the weight of treated seed by 50%. To ensure that the same number of seeds sown per unit area in maintained it is therefore necessary to increase the sowing rate of treated seed by 50% taking the standard ProNitro® sowing rate to 15 kgs/acre (37 kgs/ha)
- Roll immediately after sowing to consolidate the ground, conserve moisture and ensure good seed to soil contact



'I have used HF Seeds for many years and have found that they do exceptionally well in all sorts of soil types and growing conditions. I have used many of the HF mixtures including HFII and Super Silage and also GrassMax Graze for overseeding, all with great results. I am convinced that HF quality helps maximise the milk yields through my robotic milking system'

Rennick Thompson, Springfield Farm, Bigrigg, Egremont, Cumbria



A typical sward before overseeding

# Grass and Fodder Crops

## OVERSEEDING



#### Timing

- With untreated seed, to ensure that competition from the existing sward is minimised, the optimum overseeding window is immediately after the last silage cut of the season or after a hard graze in the spring or autumn
- Although the benefit of minimising competition from the existing sward also applies to ProNitro<sup>®</sup> treated seed, the increased competitiveness of ProNitro<sup>®</sup> reduces the dependence on timing and may offer the opportunity of a much wider sowing window

#### **Fertiliser**

 When clover is included wait until at least 30 days after sowing before applying any nitrogen fertiliser to minimise competition from the existing sward. If clover is not included this period can be reduced to 15 days

#### **Livestock Re-introduction**

- After cutting wait until aftermaths have fully recovered
- After grazing leave stock on for 10 days then remove and allow sward to recover



Oveseeding can dramatically improve sward performance

#### **OVERSEEDING MIXTURES**

HF



A mixture specially designed for overseeding fields which will be both cut and grazed.

LOFA

Advanced<sup>™</sup> Hybrid Ryegrass

**SEAGO** 

**Tetraploid Intermediate Perennial Ryegrass** 

KINTYRE

**Tetraploid Late Perennial Ryegrass** 

TWYMA>

**Tetraploid Late Perennial Ryegrass** 

HF DUAL PURPOSE CLOVER BLEND

White Clover

# RECOMMENDED SOWING RATE 10 KG/ACRE (25 KG/HECTARE)

- Specially formulated with high sugar varieties to improve the sugar content of existing swards
- Only contains large seeded aggressively establishing grasses for their establishment vigour and ability to compete in an existing sward
- Contains Lofa Advanced™ Hybrid Ryegrass included for its high conservation yields, forage quality and fast regrowth
- Based on grass varieties with high yields under both cutting
- Very good resistance to all the main grass diseases
- Contains a high proportion of HF's unique Dual Purpose Clover Blend which is based on the most productive varieties and designed to achieve the maximum clover content and persistency under both cutting and grazing
- No Clover option available on request

 $\mathbf{HF}$ 



A mixture specially designed for overseeding fields which will be predominantly grazed.

EACOE

Tetraploid Intermediate Perennial Ryegrass

**TWYMAX** 

Tetraploid Late Perennial Ryegrass

**ALFONSO** 

**Tetraploid Late Perennial Ryegrass** 

HF GRAZING CLOVER BLEND

White Clover

# RECOMMENDED SOWING RATE 10 KG/ACRE (25 KG/HECTARE)

- Specially formulated with high sugar varieties to improve the sugar content of existing swards
- Varieties specially selected for their grazing yields including Seagoe one of the highest yielding Tetraploid Perennial Ryegrasses on all three UK Recommended Lists
- High sugar yields ensure excellent palatability and improved animal performance
- 100% Tetraploid grasses which are ideal for overseeding as they have large seeds and are aggressive establishers
- Based entirely on Perennial Ryegrass varieties with the highest grazing yields on UK Recommended Lists
- Very good Crown Rust resistance
- Contains a high proportion of HF Grazing Clover blend containing varieties specially selected for their production and persistence under grazing
- No Clover option available on request





# Grass and Fodder Crops HIGH CLOVER AND ORGANIC MIXTURES

In recent years interest in clover has increased dramatically partly due to the organic sector but also due to an increasing awareness of the benefits that clover can bring.

Whether farming organically or conventionally, the key to unlocking the full benefits of clover lies in the mixture design and the production of a sward that will produce a high yield and allow clover to thrive at the same time.

For many years HF Seeds has pioneered the development of mixtures for the organic farmer and the experience and knowledge gained has produced a range of high yielding mixtures specially designed to maximise both the nutritional and nitrogen fixing abilities of modern clover varieties.

## The key elements of mixture design to create a productive high clover sward are

- Selection of grass varieties to ensure the production of an open but high yielding sward that allows clover to thrive
- The correct proportion of clover in the mix to ensure that the right balance of grass and clover in the final sward is achieved
- The selection of both grass and clover varieties suited to both the intended duration and purpose of the sward

In terms of mixture design, whether organic or conventional, identical principles apply to unlocking the benefits of clover and the HF High Clover range has been developed to meet three distinct farm uses and to produce swards with a high clover content and capable of exceptional performance.

All HF High Clover mixtures are available with a 70% organically produced content to meet 2016 organic certification requirements.



#### HF

# HIGH CLOVER SHORT TERM

Also Available with a 70% Organic Content

A highly productive two to three year cutting mixture containing high yielding Hybrid Ryegrass, Advanced™ Grasses and Red Clover

#### SOLIF

**Tetraploid Hybrid Ryegrass** 

#### LOFA

Advanced™ Hybrid Ryegrass

#### **PERSEUS**

Advanced™ Italian Ryegrass

HF RED CLOVER BLEND

**Red Clover** 

# RECOMMENDED SOWING RATE 12 - 14 KG/ACRE (30 - 35 KG/HECTARE)

- Optimum cutting date first week in June
- Contains only aggressive, fast growing grasses for both their yield potential and their ability to compete and survive in a sward with a high Red Clover content
- Contains a high proportion of Lofa Advanced™ Hybrid Ryegrass and Perseus Advanced™ Italian Ryegrass both of which are ideal companion grasses for Red Clover bringing huge benefits in terms of yield, forage quality and disease resistance.
- High sugar content to complement the lower sugar of Red Clover and to ensure good fermentation in the clamp
- Capable of at least three silage cuts and aftermath grazing
- Rapid regrowth for second and subsequent cuts
- Designed to last for three full production years after the year of sowing



'We have been using HF Seeds for over 30 years because they perform very well for us and never let us down. We have once tried another mixture but it did not do well at all. We need big yields of quality silage and grazing to help us produce good Charolais suckled calves for the store market. This year we had a total of 18 heavy bales an acre off an HF Red Clover mixture and with 17.3 % protein have reduced our feed bills substantially'

Kevin Cruickshank, Coleburn Farm, Longmorn, Elgin, Morayshire







# Grass and Fodder Crops HIGH CLOVER AND ORGANIC MIXTURES







## HF

# HIGH CLOVER HIGH CLOVER **DUAL PURPOSE**

Also Available with a 70% Organic Content

A medium term high sugar mixture designed for dual purpose use where fields are both cut and grazed.

**Intermediate Perennial Ryegrass** 

**Tetraploid Intermediate Perennial Ryegrass** 

#### **TODDINGTON**

**Late Perennial Ryegrass** 

**Late Perennial Ryegrass** 

Late Perennial Ryegrass

**Tetraploid Late Perennial Ryegrass** 

**Tetraploid Late Perennial Ryegrass** 

**Timothy** 

#### **PROMESSE**

Timothy

#### HF RED CLOVER BLEND

**Red Clover** 

#### HF DUAL PURPOSE CLOVER BLEND

White Clover

#### RECOMMENDED SOWING RATE 13 - 15 KG/ACRE (32 - 35 KG/HECTARE)

- Optimum cutting date first week in June
- Specially formulated for top quality high DNDF forage with varieties selected for their high yields under both cutting and grazing and their excellent forage quality
- High sugar yield per acre ensures maximum feeding value, excellent palatability and rapid silage fermentation
- Formulated with high yielding but open varieties to ensure
- Small Red Clover inclusion for high clover yields and
- High White Clover content of HF's unique Dual Purpose
- Clover blend based on the most productive clover

Also Available with a 70% Organic Content

A medium to long term grazing mixture using persistent grazing varieties of both grass and clover and specially formulated to ensure the maximum contribution from clover.

#### SOLOMON

**Intermediate Perennial Ryegrass** 

#### **TODDINGTON**

**Late Perennial Ryegrass** 

**Late Perennial Ryegrass** 

**Late Perennial Ryegrass** 

**Late Perennial Ryegrass** 

**Tetraploid Late Perennial Ryegrass** 

#### TWYMAX

**Tetraploid Late Perennial Ryegrass** 

## HF GRAZING CLOVER BLEND

White Clover

## RECOMMENDED SOWING RATE 13 - 15 KG/ACRE (30 - 37 KG/HECTARE)

- Specially formulated for top quality high DNDF forage with varieties selected for their high yields under grazing and their excellent forage quality and digestibility
- Contains varieties specially selected for their grazing performance in terms of yield, ease of grazing management, forage quality and sward density but which
- High sugar yield per acre to ensure the maximum feeding
- Formulated with later varieties to have grass at the right
- Contains very persistent varieties of both grass and clover
- High White Clover content of varieties specially selected for

# Grass and Fodder Crops GREENING

Greening is now an established requirement on many farms throughout the UK, introduced to encourage the delivery of farming practices beneficial for the climate and the environment. Although the basic principles of Greening remain the same throughout the UK and the information on these pages refers to Scotland, there are some differences in the schemes operating in Scotland and England and Wales and farmers are advised to check the CAP regulations in their respective areas.

Greening comprises three elements namely Permanent Grassland, Crop Diversification on Arable Land and Ecological Focus Areas as follows.

#### **Permanent Grassland**

Permanent Grassland is defined as land out of rotation for more than 5 years.

#### **Crop Diversification on Arable Land**

This is often called the '3 crop rule' and applies to all farmers with over 10 hectares of arable land who do not qualify for an exemption. Temporary grass is included as an arable crop.

#### **Ecological Focus Area (EFA)**

Where arable land is more than 15 hectares, at least 5% must be managed as an EFA. In Scotland there are 6 different options to choose from which can be mixed and matched to make up the 5% but they must feature on or next to arable land. Each option has different weightings (according to the perceived environmental benefit) and different management obligations.

Ecological Focus Area Option	Basic Guide
Fallow Land	With the exception of a wildflower or wild bird seed mixture, crops cannot be sown during the fallow period from 15 January to 15 July and fallow land must not be grazed, cut or fertilised during the same period. Grass intended for fallow land cannot be sown during the fallow period, but should ideally be a special late heading fallow mixture allowing hay or haylage to be taken after 15th July.
Buffer Strips	Buffer strips are areas of land designed to benefit water quality and biodiversity and should be adjacent to water courses. They should be from 2 metres to 20 metres wide and although they cannot be grazed at any time they can be cut for hay or silage. Grass mixtures or any wildflower or wild bird seed mix can be sown. This can be a useful option with the higher weighting factor of 1.5 smaller areas are required (eg 6.7 acres to cover 10 acres).
Field Margins	Unlikely to be relevant to livestock farmers and more appropriate in arable situations. Designed to provide an important habitat for farmland biodiversity and wildlife. Field margins should be I metre to 20 metres in width and grass mixtures or any wildflower or wild bird mix may be established with appropriate seedbed fertiliser but no agricultural production is allowed at any time.
Catch Crop	Designed to enhance biodiversity and prevent soil erosion, the only eligible catch crop in Scotland is a cereal nurse crop with undersown grass as the catch crop. The undersown grass can be grazed at any time after the harvest of the main crop but must be kept in place until 31 December. Catch crop has a low weighting factor and therefore requires a relatively large area to cover EFA requirements. Any HF mixture qualifies including HF Italian Catch Crop.
Green Cover	Green Cover involves the establishment of a temporary crop in the autumn that will enhance biodiversity, improve soil structure and prevent soil erosion. A mix of at least 2 crop groups must be established before I October and left at least until 31 December. Production cannot be cut or grazed and must be incorporated at some time after the end date. A low weighting factor but an excellent way of increasing soil organic matter, conditioning poor soils and preventing erosion. 5 specially designed HF mixtures are available for the Green Cover option.
Nitrogen Fixing Crops	This covers all leguminous crops and comprises 2 or more of an eligible list of species which cannot be harvested before I August and which must be sown separately with the largest not more than 75% of the total. A major disadvantage in Scotland is that nitrogen fixing crops must be surrounded by an eligible field margin mix which must be retained until 31 December even after the nitrogen fixing crop has been harvested.

# Grass and Fodder Crops GREENING

Depending on the option chosen there is a limited range of single species and many combinations of different species which can be sown into the Ecological Focus Area. Eligible mixtures essentially fall into one of three main categories namely grass mixtures, wild bird seed mixtures and nectar-rich mixtures which include nectar producing plants and wild flowers. The full range of HF mixtures is presented in the 2016 HF Countryside brochure which is available from HF distributors but a selection of the more commonly sown mixtures is shown below.

#### **GRASS SEED MIXTURES**

Although conventional grass seed mixtures can be used in several options, in many cases mixtures containing less productive 'natural' grasses are preferred.

BGM	I	RC	(Red	Clover	and	Cocksfoot	)
-----	---	----	------	--------	-----	-----------	---

20% Hard Fescue 20% Creeping Red Fescue 15% Cocksfoot 20% Timothy 20% Tall Fescue

100%

5% Red Clover

#### BGM 2 RC (Red Clover no Cocksfoot)

20% Hard Fescue 20% Creeping Red Fescue 20% Chewings Fescue 20% Timothy 15% Tall Fescue 5% Red Clover

100%

#### **BGM 3 with Cocksfoot & Clover**

20% Hard Fescue 20% Creeping Red Fescue 15% Cocksfoot 20% Timothy 15% Tall Fescue

5% Birdsfoot Trefoil

5% Small Leaved White Clover

100%

The above mixtures are sown at 20 kg/ha. Other grass mixtures containing wild flower and nectar producing plants are also available.

#### **WILD BIRD SEED MIXTURES**

These mixtures are designed to provide seed-rich habitats for wild birds.

#### Northern WBS I I Year Spring Sown

60% Spring Triticale 20% Spring Barley 8% Linseed 4% Mustard 4% Forage Rape 3% Phacelia 1% Fodder Radish

100%

#### Northern WBS 2 2 Year Spring Sown

50% Spring Triticale 20% Spring Barley 10% Kale 10% Quinoa 5% Red Clover 5% Sweet Clover

100%



Corn Bunting (courtesy of RSPB Scotland)

The above mixtures are sown at 40 kg/ha. Other spring and autumn sown mixtures are also available.

#### **NECTAR RICH MIXTURES**

Nectar rich mixtures are designed to provide flower-rich habitats to support pollinators.

#### Pollen & Nectar with Grass

10% Meadow Fescue
10% Tall Oat Grass
10% Cocksfoot
10% Timothy
10% Tall Fescue
10% Sainfoin
8% Birdsfoot Trefoil
6% Alsike Clover
6% Winter Vetch
5% Creeping Red Fescue
5% Hard Fescue
5% Red Clover
3.75% Yellow Trefoil

100%

Sowing rate 20 kg/ha

1% Black Knapweed 0.25% Musk Mallow

#### **Nectar Rich Bronze**

50% Sainfoin 18% WinterVetch 10.5% Alsike Clover 10% Birdsfoot Trefoil 8.5% Red Clover 3.0% Lucerne (inoculated)

100%

Sowing rate 10 – 15 kg/ha



The Great Yellow Bumblebee (courtesy of The Bumblebee Conservation Trust)

Other nectar-rich mixtures containing native wildflowers are available.

The above mixtures only represent a small selection of the vast array of eligible mixtures which can be sown into Ecological Focus Areas. For more information and details of the full HF range please refer to the 2016 HF Countryside brochure (see page 31).

# Grass and Fodder Crops ROOT AND FODDER CROPS

	SOWING RA	ATES, RELA	TIVE YIELD AN	ID ENERG	Y LEVELS	OF FODD	ER CROPS	
Crop	Sowing Rate per acre	Sowing Period	Utilisation Period	Fresh Yield tonnes/acre	Dry Matter content %	DMYield tonnes/acre	DM Energy content MJ/kg	Energy Yield per acre '000MJ
Fodder Beet	50,000 seeds	March - April	Harvested and clamped October onwards	25 - 35	17	4.2 - 6.0	12.5	52 - 75
Swedes	Graded seed Approx 250 gms	May	October - March see varieties	28 - 35	П	3.0 - 3.8	12.9	35 - 49
Turnips	Graded seed Approx 250 gms	May - June	October - January	24 - 30	9	2.2 - 2.7	11.2	25 - 30
Kale	3 kg broadcast 2 kg drilled	May - June	October - February	20 - 30	14	2.8 - 4.2	11.0	31 - 46
Forage Rape	4 - 5 kg broadcast 3 - 4 kg drilled	June - August	Sept - December	12 - 15	12	1.5 - 1.8	10.5	16 - 19
Stubble Turnips	3 kg broadcast 2 kg drilled	May - August	12 weeks after sowing	15 - 18	9.5	1.5 - 1.8	11.6	17 - 21

#### **FODDER BEET**

Fodder Beet is grown as a main root crop, which requires similar husbandry to sugar beet. It can produce substantial yields of high quality fodder and is an excellent supplement to grass silage. The roots are very palatable to stock and have superb feed quality. Specialist harvesting equipment is required to lift the roots and storage is required unless they are strip grazed in situ.

Medium dry matter varieties tend to have a higher percentage of root above ground and can be lifted with a top lifter and therefore have a relatively low dirt tare. These highly palatable roots can be fed whole to stock. High dry matter varieties tend to sit further in the ground and require a sugar beet harvester to lift them. Due to the higher dirt tare and hardness of the root, these varieties may need to be chopped and washed before feeding. After wilting, the tops may be fed to stock and can contribute a further yield of 3-4 tonnes of protein-rich dry matter per hectare.

Variety	Kyros	Magnum	Jamon
Clean dry matter yield (100 = 15.2t/ha)	99	107	99
As field fresh yield (100 = 100.4t/ha)	100	96	105
Dry matter content (%)	16.8	19.3	16.2
Establishment (9 = good I = poor)	7	7.4	7.6
Bolting (%)	0.2	0.1	0.2
Top size (9=best I=worst)	7.2	6.5	6.8
% of root in ground	67	78	67
Cleanliness (9 = best   = worst)	6.7	6.4	5.8
Rust (9 = best   = worst)	4	4	5
Ramularia (9 = best   = worst)	4	7	6
Root Colour	Yellow	White	Orange



Fodder Beet Yield and Feed Quality						
Average dry matter yield	13 - 15 tonnes/ha					
Average fresh yields	80 - 100 tonnes/ha					
Dry matter	12 - 19%					
Crude protein	12 - 13%					
Digestibility value	78D					
Metabolisable energy	12.5 - 13.5MJ/kg DM					

#### **MAGNUM**

Magnum has a consistent root size and reliable dry matter yields from white roots. It is very palatable with a high proportion of its roots in the ground and due to its high dry matter content it is more frost resistant than other varieties.

#### **JAMON**

A very consistent variety producing a clean and highly palatable orange root with average dry matter content. Jamon has good resistance to both leaf disease and bolting and benefits from a large top size with 33% of its root in the ground allowing easy lifting.

#### CERISE NEW FOR 2016

Cerise is a reliable and highly productive yellow rooted variety with 35% of its root above the ground with a low dirt tare and a high DM content of 17.5% which makes it excellent for both grazing or lifting. Cerise also has the added benefit of being Rhizomania tolerant.

#### **ENERMAX**

A Rhizomania tolerant variety suited for both fodder and bioenergy production, Enermax has a clean, white, smooth-skinned root and is shallow rooting resulting in a relatively clean end product. It is high yielding with in-house trials showing root yields of 21 t DM/ha with a further 5 t/ha from the tops.

# Grass and Fodder Crops ROOT AND FODDER CROPS

#### **SWEDES**

Swedes grow on a wide range of soil types and can be grazed in situ or lifted for stockfeed or as a cash crop. Whatever the intended use, the dry matter content is one of the most important characters to consider. Low dry matter types are softer and are more suitable for early use whereas the high dry matter types are more winter hardy and therefore better suited to later utilisation. For cash cropping fresh yield, shape and colour are important considerations with purple skinned, globe shaped roots generally considered the most marketable type.

#### **AIRLIE**

For early to intermediate use Airlie produces high fresh yields of uniform globe shaped roots with purple skin and creamy white flesh. Good general disease resistance.

#### **RUTA OTOFTE**

A very popular purple skinned variety with cream coloured flesh suitable for both fodder and culinary use. A medium dry matter variety with good winter hardiness and Mildew resistance.

#### **MARIAN**

A good culinary use variety with an attractive purple globe and cream coloured flesh. With its medium dry matter content Marian is suitable for intermediate use but has slightly lower yield potential than other varieties.

#### LOMOND

A new and extremely high yielding variety bred by SCRI, Lomond has purple skin and yellow flesh and has good Club Root and Powdery Mildew resistance. Lomond is slightly less uniform than Gowrie and consequently is the better stock feed variety.



#### **GOWRIE**

A new high yielding variety bred by SCRI, Gowrie produces very uniform roots with purple skin and yellow flesh making it ideal for the culinary market. Good Club Root and Powdery Mildew resistance.

#### **KENMORE**

A bronze skinned, white fleshed variety with very high fresh yields best suited as stock feed. Kenmore is early maturing and with its medium dry matter content and very good winter hardiness, it allows for a very wide window of utilisation.

#### **INVITATION**

A high yielding purple/bronze skinned variety with a high dry matter content and very good winter hardiness making it suitable for late use. Invitation has excellent resistance to both Club Root and Mildew and it also produces large leaves for extra grazing potential.



#### **KALE**

Kale is the highest yielding of all the leafy forage brassicas and has excellent feeding value and a high crude protein content. It can provide a long and flexible period of utilisation and can be grazed in situ, cut and carted to housed livestock or ensiled as big bale kaleage. There are however big differences in terms of winter hardiness and varieties should be chosen to suit the utilisation period. For maximum yields kale requires good fertility and a pH of at least 6.0.

#### **SOVEREIGN**

Sovereign is a high yielding, medium tall forage kale with good club root tolerance. In SAC trials Sovereign demonstrated good dry matter yields and an excellent leaf to stem ratio thereby improving palatability, stock utilisation and animal performance. With good winter hardiness and keeping ability it has potential for a long usage period.

#### **GOLDENEYE**

Goldeneye is a giant type kale specially bred for the game cover market and selected for the optimum combination of height and leaf production. It has a leafy top, strong stem, good winter hardiness and good disease resistance making it an ideal choice for game cover.

#### **GRÜNER ANGELITER**

Grüner Angeliter is a marrowstem type producing very high fresh yields. With its high yield, good winter hardiness and excellent feeding quality, Grüner Angeliter is well suited for stock feed use, but with its tall growth and high leaf canopy it is also ideal for game cover.

# Grass and Fodder Crops ROOT AND FODDER CROPS

#### **FORAGE RAPE**

Rape is fast growing and will tolerate poorer fertility conditions than Kale. When sown as a catch crop between June and August it will provide valuable autumn and winter grazing. It has a wide sowing window and utilisation period and produces a digestible and high energy crop, ideal for finishing lambs.

#### **EMERALD**

A rapidly establishing medium to tall palatable variety with above average dry matter yields and good general disease resistance.

#### **SPITFIRE**

#### **NEW FOR 2016**

Spitfire is a modern, multi-purpose rape created by crossing rape with kale. It is a medium-tall and very palatable variety with a high dry matter yield, excellent aphid tolerance and rapid growth from establishment to maturity. It also has very good regrowth potential but needs to be managed carefully to avoid damaging the stems. Spitfire is suitable for sowing in the spring for excellent summer and autumn feed or in mid-summer for quality winter fodder.

#### **ZOOM BRASSICA MIXTURE**

A blend of Winfred Hybrid Brassica and Forage Rape, Zoom is a very vigorous and quick growing mixture which is ideal for replacing failed crops or for patching earlier sown crops which are struggling. High seedling vigour ensures a reliable establishment of a high leaf to stem ratio crop with good disease and bolting resistance.



#### **STUBBLE TURNIPS**

Stubble Turnips provide palatable and digestible fodder for grazing 10-12 weeks after sowing. They can be sown at any time with the required utilisation period determining the sowing date. Stubble Turnips are less winter hardy than other brassicas and should be used before Christmas. Varieties differ in their leaf to root ratio with leafy types providing better anchorage and winter hardiness than bulb types which produce larger but relatively low dry matter roots.

#### **TYFON**

A fast growing leafy type with some regrowth potential but it can be susceptible to bolting when sown too early. Tyfon has small bulbs and produces approximately 80% of its yield from leaf. Good root anchorage and reasonable frost tolerance.

#### **VOLLENDA**

A highly digestible, late tetraploid variety noted for its speed of growth, overall yield and resistance to bolting. Vollenda is a bulbing type with a leaf to bulb ratio in the region 30:70.

#### **BARKANT**

Producing slightly smaller roots than Vollenda, Barkant is a bulbing variety producing very high yields of digestible dry matter. Reasonably winter hardy for a stubble turnip.



Please note that with all Brassica crops, stock should be introduced gradually over a two week period and an area of grassland should be available for animals to return to. Water and hay or straw should also be freely available.

# Grass and Fodder Crops HF COUNTRYSIDE



In addition to quality grass seed mixtures and root and fodder crop seeds for autumn and winter grazing, HF Seeds offers a comprehensive range of both straight varieties and seed mixtures covering all aspects of game cover and food crops for a wide variety of shoots, locations and climate. In addition mixtures are supplied for specialist markets like Biogas and green manuring and for greening and other environmental uses.

The area of alternative crops and new farm enterprises like Biogas, in conjunction with increasing interest and emphasis on wildlife and the environment, has created a vast array of seed mixtures and single crops for different uses on farm containing a wide and complex spectrum of plant species. The 2016 44 page HF Countryside brochure is a comprehensive guide to crop selection for different uses and provides clear advice on both species and mixture selection to meet both stewardship and other specific objectives. The brochure also contains detailed husbandry guidelines to ensure as far as possible that the investment in quality seed products is rewarded.





# Grass and Fodder Crops THE BEST GRASS SEED MIXTURES

HF Grass Mixtures have been developed following many years of trials and on-farm experience to ensure top quality highly productive swards capable of exceptional performance and offer the best complete package and real value for money to farmers throughout the length and breadth of the UK and Ireland.

#### THE BEST ADVICE

The HF package goes much further than just product quality and extends as far as the farm gate and the end user. All HF products are backed by a country-wide network of in-house seed specialists and experienced distributors who are capable of offering technical help and advice on all aspects of mixture selection and establishment. Their knowledge can help balance the issues of yield, seasonal growth, forage quality, sward density, disease resistance and winter hardiness to ensure that you select the mixture best suited to your individual farm, enterprise and location.

#### THE BEST PRODUCTS

- Mixtures are formulated using only the best varieties selected from a wide range of breeders for their overall performance
- Unique mixture design with all grasses and clovers selected on the basis of their performance in UK trials
- The highest standards of purity and germination ensure the fast establishment of dense, weed free swards
- On-going trials and research ensure that HF Mixtures lead the field with unique advances in grass mixture technology

#### THE BEST VALUE

The combination of the best advice and the best products from experienced distributors who understand the pressures of livestock farming at a local level ensures that HF Mixtures always deliver real value from top performance swards.





#### YOUR NEAREST HF DISTRIBUTOR IS

Kevin Tregunna Farm Equip Truro Cornwall

Mobile: 07881 804442

Home/Office: 01872 270621

Email: kevin@farmequip.co





10 Westerton Road East Mains Industrial Estate Broxburn, West Lothian EH52 5AU Tel: 01506 674800 Fax: 01506 691212 Thorn Farm Inkberrow Worcestershire WR7 4LJ Tel: 01386 791101 Fax: 01386 792216

www.dlf.co.uk